




LED Aquarium light




MELODY INT'L GROUP LTD

Tel: +86-750-6180058 Fax:+86-750-6108609

Website: <http://www.melody-lighting.com>

Picture	Item Number	Specification
 <p>CE, RoHS, 3 Year Warranty</p>	<p>MD-AQ-A60W</p>	<p>Input Voltage AC85~264V Working current: 300ma 60pcs of 1W LED 2850LM LUX:1M/1252 2M/542 Lighting Area 25M²/3m Size 400x212x62mm Lifespan 50,000 Hours Inner box 455x275x110mm GW 4.25kg/pcs Carton box 490x300x490mm GW 17.7kg/4pcs</p>
 <p>CE, RoHS, 3 Year Warranty</p>	<p>MD-AQ-A90W</p>	<p>Input Voltage AC85~264V Working current: 300ma 90pcs of 1W LED 4275LM LUX:1M/1932 1.5M/847 Lighting Area 31m²/3m Size 400x212x62mm Lifespan 50,000 Hours Inner box 455x275x110mm GW 4.33kg/pcs Carton box 490x300x490mm GW 18kg/4pcs</p>
 <p>CE, RoHS, 3 Year Warranty</p>	<p>MD-AQ-A120W</p>	<p>Input Voltage AC85~264V Working current: 300ma 120pcs of 1W LED 5320LM LUX:1M/2200 1.5M/1010 Lighting Area 78M²/3m Size 400x212x62mm Lifespan 50,000 Hours Inner box 455x275x110mm GW 4.36kg/pcs Carton box 490x300x490mm GW 18.15kg/4pcs</p>



MD-AQ-A150W

Input Voltage AC85~264V
 Working current: 300ma
 150pcs of 1W LED
 6800LM
 LUX:1M/1600 1.5M/740
 Lighting Area 90.56M²/3m
 Size 330*330*60mm
 Lifespan 50,000 Hours
 Inner box 420*390*140/1PCS
 GW 5kg/pcs
 Carton box 435*435*296/2PCS
 GW 11.56kg/2pcs



MD-AQ-A55*3W

Input Voltage AC85~264V
 Working current: 630mA
 55pcs of 3W LED
 4400LM
 LUX:1M/2200 1.5M/1010
 Lighting Area 78M²/3m
 Size 400x212x62mm
 Lifespan 50,000 Hours
 Inner box 455x275x110mm
 GW 4.36kg/pcs
 Carton box 490x300x490mm
 GW 18.106kg/4pcs



MD-AQ-A144*3W

Input Voltage AC85~264V
 Working current: 630mA
 144pcs of 3W LED
 8640LM
 LUX:245/4m 192/5m
 Lighting Area 79m²/4m
 Size 491x321x70mm
 Lifespan 50,000 Hours
 Inner box 555x383x160mm
 GW 7.95kg/pcs
 Carton box 580x410x320mm
 GW 16.3kg/2pcs




MD-AQ-A9W

Input Voltage AC85~264V
Working current: 300ma
9 pcs of 1W LED
LUX:0.5M/730 1M/220
Lighting Area 0.5M/5 1M/8
Size 300*28*15.5mm
GW:0.51Kg
Lifespan 50,000 Hours
light stand size:111*46*15mm
light stand net weight:126.8g
Waterproof



MD-AQ-A18W

Input Voltage AC85~264V
Working current: 300ma
18 pcs of 1W LED
LUX:1M/445 1.5M/170
Lighting Area 1M/12 1.5M/28
Size:600*28*15.5mm
GW:0.78Kg
Lifespan 50,000 Hours
light stand size:111*46*15mm
light stand net weight:126.8g
Waterproof



MD-AQ-A27W

Input Voltage AC85~264V
Working current: 300ma
27 pcs of 1W LED
LUX:1M/630 1.5M/270
Lighting Area 1M/24 1.5M/34
Size:900*28*15.5mm
GW:1.14Kg
Lifespan 50,000 Hours
light stand size:111*46*15mm
light stand net weight:126.8g
Waterproof



MD-AQ-A36W

Input Voltage AC85~264V
Working current: 300ma
36 pcs of 1W LED
LUX:1M/670 1.5M/312
Lighting Area 1M/50 1.5M/75
Size:1200*28*15.5mm
GW:1.54Kg
Lifespan 50,000 Hours
light stand size:111*46*15mm
light stand net weight:126.8g
Waterproof

New Apollo LED Aquarium light




MD-Apollo4-48X3W

Input Voltage AC85~264V
Working current: 630ma
48 pcs of 3W LED
Size:270*283*85mm
Lifespan 50,000 Hours
Inner box 360*350*130mm
GW 4 KG
17.0 KG/4pcs Per Carton



MD-Apollo6-72X3W

Input Voltage AC85~264V
Working current: 630ma
72 pcs of 3W LED
Size:383*283*85mm
Lifespan 50,000 Hours
Inner box 480*350*150mm
GW 5.3KG
21.5 KG/4pcs Per Carton



MD-Apollo8-96X3W

Input Voltage AC85~264V
Working current: 630ma
96 pcs of 3W LED
Size:496*283*85mm
Lifespan 50,000 Hours
20.5 KG/3pcs Per Carton



MD-Apollo12-144X3W

Input Voltage AC85~264V
Working current: 630ma
144 pcs of 3W LED
Size:722*283*85mm
Lifespan 50,000 Hours
19.5 KG/2pcs Per Carton



APOLLO 16

3W LED light source
Optical lens
Intelligent monitoring system
soft starting protection
Revolutionary heat dissipation design

MD-Apollo16-192X3W

Input Voltage AC85~264V
Working current: 630ma
192 pcs of 3W LED
Size:948*283*85mm
Lifespan 50,000 Hours
12.5 KG/1pcs



APOLLO 18

3W LED light source
Optical lens
Intelligent monitoring system
soft starting protection
Revolutionary heat dissipation design

MD-Apollo18-216X3W

Input Voltage AC85~264V
Working current: 630ma
216pcs of 3W LED
Size:1061*283*85mm
Lifespan 50,000 Hours
GW:14.0 KG/1pcs




APOLLO 20

3W LED light source
Optical lens
Intelligent monitoring system
soft starting protection
Revolutionary heat dissipation design

MD-Apollo20-240X3W

Input Voltage AC85~264V
Working current: 630ma
240 pcs of 3W LED
Size:1174*283*85mm
Lifespan 50,000 Hours
GW:15.0 KG/1pcs



Ventilator Scoop

Revolutionary heat dissipation design, available alleviate the internal thermal cycle

Indicator Lights

Indicator lights monitoring the power suppliers' operating state



面板：红/蓝/黑/银

FACE SHIELD: RED/BLUE/BLACK/WHITE

外壳：红/白/黑

CASE: RED/WHITE/BLACK

出风口：白/黑/灰/红

VENTILATOR: WHITE/BLACK/GREY/RED

