


First-generation products

Picture	Specification	Size
	<p>MD-A-T10-1W Votage:12VDC ,Power:1W Color:R,G,B,Y,W The width light, reading lights, door lights Beam angle:180°</p>	 <p>单位: mm</p>
	<p>MD-A-T10-1.5W Votage:12VDC, Power:1.5W Color:R,G,B,Y,W The width light, reading lights, door lights Beam angle:180°</p>	
	<p>MD-A-BA9S-1W LED Quantity:1 pcs Votage:12VDC, Power:1W Color:R,G,B,Y,W Aliciation:The width lights, trunk lights, reading lights, door lights; Beam angle:180°</p>	 <p>单位: mm</p>
	<p>MD-A-T10-2.5W LED Quantity:4 pcs Votage:12VDC, Power:2.5W Color:R,G,B,Y,W The width light, reading lights, door lights Beam angle:360°</p>	 <p>单位: mm</p>
	<p>MD-A-BA9S-2.5W LED Quantity:4 pcs Votage:12VDC, Power:2.5W Color:R,G,B,Y,W The width light, reading lights, door lights Beam angle:360°</p>	 <p>单位: mm</p>
	<p>MD-A-T15-1.5W LED Quantity:1 pcs Votage:12VDC, Power:1.5W Color:Color:R,G,B,Y,W Aliciation:Turning Light,Taillight Beam angle:180°</p>	 <p>单位: mm</p>




MD-A-G18-1.5W (BA15S)

LED Quantity:1 pcs
Votage:12VDC, Power:1.5W
Color:Color:R,G,B,Y,W
Alication:Turn signal
Beam angle:180°




MD-A-SJ31-1W

31mm (Could be 36mm)
Votage:12VDC, Power:1W
Color:Color:R,G,B,Y,W Angle:180°
Alication:Reading Light,License plate Light




MD-A-SJ31-1.5W

31mm (Could be 36mm)
Votage:12VDC, Power:1.5W
Color:Color:R,G,B,Y,W Angle:180°
Alication:Reading Light,License plate Light




MD-A-SJ36-2X0.5W

LED Quantity:2 pcs
Could be 36/39/41mm
Votage:12VDC, Power:1W
Color:Color:R,G,B,Y,W Angle:180°
Alication:Reading Light,License plate Light



MD-A-T20D-3X0.5W (7440)

MD-A-T20S-3X0.5W (7443)
LED Quantity:3 pcs 12VDC, 1.5W
Color:R,G,B,Y,W ,Beam angle:180°
Alication:Turning Light



MD-A-T20D-3X1W (7440)


MD-A-T20S-3X1W (7443)
LED Quantity:3 pcs 12VDC, 3W
Color:R,G,B,Y,W ,Beam angle:180°
Alication:Turning Light



MD-A-1156P-3x1W (BA15S)

MD-A-1156X-3x1W (BAU15S)

LED Quantity:3 pcs
Votage:12VDC, Power:3W
Color:Color:R,G,B,Y,W Angle:180°
Alication:Turn signal



MD-A-1157G-3x1W (BAY15D)


MD-A-1157P-3x1W (BA15D)

LED Quantity:3 pcs
Votage:12VDC, Power:3W
Color:Color:R,G,B,Y,W Angle:180°
Alication:Brake lights



MD-A-3156-3X1W









LED Quantity:3 pcs 12VDC, 3W
Color:Color:R,G,B,Y,W Angle:180°
Alication:Turn signal



MD-A-3157-3X1W

LED Quantity:3 pcs 12VDC, 3W
Color:Color:R,G,B,Y,W Angle:180°
Alication:Brake lights


Second-generation products

Picture	Specification	Size
	MD-B-T10N-1W Votage:12VDC ,Power:1W Color:R,G,B,Y,W. Beam angle:340° The width light, reading lights, door lights	
	MD-B-T10N-1.5W Votage:12VDC, Power:1.5W Color:Color:R,G,B,Y,W.Beam angle:340° The width light, reading lights, door lights	
	MD-B-T10NK-1W Votage:AC12V,Power:1W Color:R,G,B,Y,W,Beam angle:340° The width light, reading lights, door lights.	
	MD-B-T10NK-1.5W Votage:AC12V,Power:1.5W Color:Color:R,G,B,Y,W,Beam angle:340° The width light, reading lights, door lights.	
	MD-B-BA9SN-1W LED Quantity:1 pcs,Power:1W Votage:DC12 Color:R,G,B,Y,W. Beam angle:340° The width light, reading lights, door lights	
	MD-B-BA9SN-1.5W LED Quantity:1 pcs,Power:1.5W Votage:DC12 Color:R,G,B,Y,W. Beam angle:340° The width light, reading lights, door lights	
	MD-B-T20NKS-3W (7443) LED Quantity:1 pcs,Power:3W Votage:DC12-24V/High current 180-200MA,Low current:45-50MA, Color:R,G,B,Y,W Beam angle:340° Aliciation:Brake lights	
	MD-B-T20NKD-3W (7440) LED Quantity:1 pcs,Power:3W Votage:DC12-24V/High current 180-200MA,Low current:45-50MA, Color:R,G,B,Y,W Beam angle:340° Aliciation:Turn signal	




MD-B-1156PNK-3W (BA15S)
MD-B-1156XNK-3W (BAU15S)

LED Quantity:1 pcs,Power:3W
Votage:DC12-24V/180-200MA
Color:R,G,B,Y,W
Alication:Turn signal
Beam angle:340°




MD-B-1157GNK-3W (BAY15D)
MD-B-1157PNK-3W (BA15D)

LED Quantity:1 pcs,Power:3W
Votage:DC12-24V/180-200MA
Color:R,G,B,Y,W
Alication:Brake lights
Beam angle:340°




MD-B-3156NK-3W

LED Quantity:1 pcs,Power:3W
Votage:DC12-24V/180-200MA
Color:R,G,B,Y,W
Alication:Turn signal
Beam angle:340°




MD-B-3157NK-3W

LED Quantity:1 pcs,Power:3W
Votage:DC12-24V/180-200MA
Color:R,G,B,Y,W
Alication:Brake lights
Beam angle:340°




MD-B-H4NK-3W

LED Quantity:1 pcs,Power:3W
Votage:DC12-24V/180-200MA
Color:R,G,B,Y,W
Alication:Foglight
Beam angle:340°



MD-B-H7NK-3W


LED Quantity:1 pcs,Power:3W
Votage:DC12-24V/180-200MA
Color:R,G,B,Y,W
Alication:Foglight
Beam angle:340°






MD-B-H8NK-3W

LED Quantity:1 pcs,Power:3W
Votage:DC12-24V/180-200MA
Color:R,G,B,Y,W
Alication:foglight
Beam angle:340°




MD-B-H9NK-3W

LED Quantity:1 pcs,Power:3W
Votage:DC12-24V/180-200MA
Color:R,G,B,Y,W
Alication:foglight
Beam angle:340°




MD-B-H10NK-3W

LED Quantity:1 pcs,Power:3W
Votage:DC12-24V/180-200MA
Color:R,G,B,Y,W
Alication:foglight
Beam angle:340°




MD-B-H11NK-3W

LED Quantity:1 pcs,Power:3W
Votage:DC12-24V/180-200MA
Color:R,G,B,Y,W
Alication:foglight
Beam angle:340°




MD-B-9005NK-3W

LED Quantity:1 pcs,Power:3W
Votage:DC12-24V/180-200MA
Color:R,G,B,Y,W
Alication:foglight
Beam angle:340°















MD-B-9006NK-3W

LED Quantity:1 pcs,Power:3W
Votage:DC12-24V/180-200MA
Color:R,G,B,Y,W
Alication:foglight
Beam angle:340°




Third-generation products


Picture	Specification	Size
	<p>MD-C-SJ31N-1W LED Quantity:1 pcs Votage:DC12V 70MA, Power:1W Color:Color:R,G,B,Y,W Angle:180° Alication:Reading Light,License plate Light</p>	
	<p>MD-C-SJ31N-1.5W LED Quantity:1 pcs Votage:DC12V 70MA, Power:1.5W Color:Color:R,G,B,Y,W Angle:180° Alication:Reading Light,License plate Light</p>	
	<p>MD-C-SJ36N-1W LED Quantity:1 pcs 36mm (Could be 39/41mm) Votage:DC12V 70MA, Power:1W Color:Color:R,G,B,Y,W Alication:Reading Light,License plate Light Beam angle:180°</p>	
	<p>MD-C-SJ36N-1.5W LED Quantity:1 pcs 36mm (Could be 39/41mm) Votage:DC12V 70MA, Power:1.5W Color:Color:R,G,B,Y,W Alication:Reading Light,License plate Light Beam angle:180°</p>	
	<p>MD-C-T15-4x1.5W LED Quantity:4 pcs Votage:DC12-24V 280MA Power:6 W Color:Color:R,G,B,Y,W Alication:Turn signal Beam angle:360°</p>	 <p style="text-align: right;">单位: mm</p>
	<p>MD-C-T20DK-4x1.5W(7440) LED Quantity:4 pcs Votage:DC12-24V 280MA Power:6 W Color:Color:R,G,B,Y,W Alication:Turn signal Beam angle:360°</p>	
	<p>MD-C-T20SK-4x1.5W (7443) LED Quantity:4 pcs Votage:DC12-24V 280MA Power:6 W Color:Color:R,G,B,Y,W Alication:Brake lights Beam angle:360°</p>	




MD-C-1156PK-4x1.5W (BA15S)
MD-C-1156PK-4x1.5W (BAU15S)
 LED Quantity:4 pcs
 Votage:DC12-24V 280MA Power:6 W
 Color:Color:R,G,B,Y,W
 Aliciation:Turn signal
 Beam angle:360°




MD-C-1157GK-4x1.5W (BAY15D)
MD-C-1157PK-4x1.5W (BA15D)
 LED Quantity:4 pcs
 Votage:DC12-24V 280MA Power:6 W
 Color:Color:R,G,B,Y,W
 Aliciation:Brake lights
 Beam angle:360°




MD-C-T15G-1.5W
 LED Quantity:1 pcs
 Votage:DC12 , Power:1.5W
 Color:Color:R,G,B,Y,W
 Aliciation:Foglight
 Beam angle:110°




MD-C-1156PGK-3W(BA15S)
MD-C-1156XGK-3W(BAU15S)
 LED Quantity:1 pcs
 Votage:DC12-24V , Power:3W
 Color:Color:R,G,B,Y,W
 Aliciation:Turn lights, down lights
 Beam angle:110°



MD-C-1157GGK-3W(BAY15D)
MD-C-1157PGK-3W(BA15D)
 LED Quantity:1 pcs
 Votage:DC12-24V , Power:3W
 Color:Color:R,G,B,Y,W
 Aliciation:Turn lights, down lights
 Beam angle:110°




MD-C-T20SGK-3W(7443)
MD-C-T20DGK-3W(7440)
 LED Quantity:1 pcs
 Votage:DC12-24V , Power:3 W
 Color:Color:R,G,B,Y,W
 Aliciation:Brake lights
 Beam angle:110°






MD-C-H8GK-3W

LED Quantity:1 pcs
Votage:DC12-24V 180-200MA,Power:3W
Color:Color:R,G,B,Y,W
Alication:Foglight
Beam angle:110°




MD-C-H11GK-3W

LED Quantity:1 pcs
Votage:DC12-24V 180-200MA,Power:3W
Color:Color:R,G,B,Y,W
Alication:Foglight
Beam angle:110°




MD-C-9005GK-3W

LED Quantity:1 pcs
Votage:DC12-24V 180-200MA,Power:3W
Color:Color:R,G,B,Y,W
Alication:Foglight
Beam angle:110°




MD-C-9006GK-3W

LED Quantity:1 pcs
Votage:DC12-24V 180-200MA,Power:3W
Color:Color:R,G,B,Y,W
Alication:Foglight
Beam angle:110°




MD-C-H3L-4x1.5W

LED Quantity:4 pcs,Power:6W
Votage:DC12-24V 280MA
Color:R,G,B,Y,W
Alication:Foglight
Beam angle:360°




MD-C-H4K-4x1.5W

LED Quantity:4 pcs,Power:6W
Votage:DC12-24V 280MA
Color:R,G,B,Y,W
Alication:foglight
Beam angle:360°







MD-C-H7K-4x1.5W
 LED Quantity:4 pcs,Power:6W
 Votage:DC12-24V 280MA
 Color:R,G,B,Y,W
 Alication:foglight
 Beam angle:360°




MD-C-9006K-4X1.5W
 LED Quantity:4 pcs,Power:6W
 Votage:DC12-24V 280MA
 Color:R,G,B,Y,W
 Alication:foglight
 Beam angle:360°




MD-C-H11K-4x1.5W
 LED Quantity:4 pcs,Power:6W
 Votage:DC12-24V 280MA
 Color:R,G,B,Y,W
 Alication:foglight
 Beam angle:360°




MD-C-9005K-4x1.5W
 LED Quantity:4 pcs,Power:6W
 Votage:DC12-24V 280MA
 Color:R,G,B,Y,W
 Alication:foglight
 Beam angle:360°



MD-C-H8K-4x1.5W
 LED Quantity:4 pcs,Power:6W
 Votage:DC12-24V 280MA
 Color:R,G,B,Y,W
 Alication:foglight
 Beam angle:360°





MD-C-H9K-4x1.5W
 LED Quantity:4 pcs,Power:6W
 Votage:DC12-24V 280MA
 Color:R,G,C,Y,W
 Alication:foglight
 Ceam angle:360°






MD-C-LP01-12X0.5W

Power:6W
.LED Quantity:1PCS
Voltage: DC12-14V
Beam Angle;180°
6.Usage:Reading Light




MD-C-LP02-9X0.5W

Power:4.5W
.LED Quantity:1PCS
Voltage: DC12-14V
Beam Angle;180°
6.Usage:Reading Light




MD-C-5G-1156FW-4X1.5W

Power:6W (BA15S)
LED Quantity:4PCS
Voltage: DC12-24V
Beam Angle;360°
Usage:Back-Up Light,Brake Light




MD-C-5G-1157HW-4X1.5W

Power:6W (BAY15D)
LED Quantity:4PCS
Voltage: DC12-24V
Beam Angle;360°
Usage:Back-Up Light,Brake Light




MD-C-5G-T20DW-4X1.5W

Power:6W (7443)
LED Quantity:4PCS
Voltage: DC12-24V
Beam Angle;360°
Usage:Back-Up Light,Brake Light




MD-C-5G-T20SW-4X1.5W

Power:6W (7440)
LED Quantity:4PCS
Voltage: DC12-24V
Beam Angle;360°
Usage:Brake Light







MD-C-5G-T15-4X1.5W
 Power:6W
 LED Quantity:4PCS
 Voltage: DC12V
 Beam Angle;360°
 Usage:Back-Up Light,Turning Light




MD-C-5G-H16W-4X1.5W
 Power:6W
 LED Quantity:4PCS
 Voltage:DC12V
 Beam Angle;360°
 Usage:Back-Up Light,Turning Light




MD-C-3G-880NP-4X1.5W
 Power:6W
 LED Quantity:4PCS
 Voltage:DC12-14V
 Beam Angle;360°
 Usage:Fog Light




MD-C-3G-881NP-4X1.5W
 Power:6W
 LED Quantity:4PCS
 Voltage:DC12-14V
 Beam Angle;360°
 Usage:Fog Light



MD-C-5G-H7W-4X1.5W
 Power:6W
 LED Quantity:4PCS
 Voltage:DC12-24V
 Beam Angle;360°
 Usage:Fog Light




MD-C-5G-H8W-4X1.5W
 Power:6W
 LED Quantity:4PCS
 Voltage:DC12-24V
 Beam Angle;360°
 Usage:Fog Light






MD-C-5G-H9W-4X1.5W

Power:6W
LED Quantity:4PCS
Voltage:DC12-24V
Beam Angle;360°
Usage:Fog Light




MD-C-5G-H10W-4X1.5W

Power:6W
LED Quantity:4PCS
Voltage:DC12-24V
Beam Angle;360°
Usage:Fog Light




MD-C-5G-H11W-4X1.5W

Power:6W
LED Quantity:4PCS
Voltage:DC12-24V
Beam Angle;360°
Usage:Fog Light




MD-C-5G-9005W-4X1.5W

Power:6W
LED Quantity:4PCS
Voltage:DC12-24V
Beam Angle;360°
Usage:Fog Light





MD-C-5G-9006W-4X1.5W

Power:6W
LED Quantity:4PCS
Voltage:DC12-24V
Beam Angle;360°
Usage:Fog Light




Daytime Running Lights

Picture	Specification	Size
	<p>MD-DRLSM-1.5W LED Quantity:1 pcs,Power:1.5W Votage:DC12V Color:R,G,B,Y,W Alication:Daytime Running Lights Beam angle:110°</p>	
	<p>MD-DRLI0-1X1.5W LED Quantity:1 pcs,1.5W,DC12V Color:R,G,B,Y,W Beam angle:110° Alication:Daytime Running Lights</p>	
	<p>MD-DRLI0-1X3W LED Quantity:1 pcs,3W DC12V Color:R,G,B,Y,W Beam angle:110° Alication:Daytime Running Lights</p>	
(Below price is for pair)		
	<p>MD-DRLI0-3X1.5W LED Quantity:3 pcs, 4.5W 12V Color:R,G,B,Y,W Beam angle:110° Alication:Daytime Running Lights</p>	
	<p>MD-DRLI0-3X3W LED Quantity:3 pcs, 9W DC12V Color:R,G,B,Y,W Beam angle:110° Alication:Daytime Running Lights</p>	
	<p>MD-DRLI0-5X1.5W LED Quantity:5 pcs, 7.5W DC12V Color:R,G,B,Y,W Beam angle:110° Alication:Daytime Running Lights</p>	
	<p>MD-DRLI0-5X3W LED Quantity:5 pcs, 15W DC12V Color:R,G,B,Y,W Beam angle:110° Alication:Daytime Running Lights</p>	
	<p>MD-DRLI0-7X1.5W LED Quantity:7 pcs, 10.5W DC12V Color:R,G,B,Y,W Beam angle:110° Alication:Daytime Running Lights</p>	
	<p>MD-DRLI0-7X3W LED Quantity:7 pcs, 21W DC12V Color:R,G,B,Y,W Beam angle:110° Alication:Daytime Running Lights</p>	




MD-DRLLS-6X1W

LED Quantity:6 pcs,Power:6W
Votage:DC12V
Color:R,G,B,Y,W
Alication:Daytime Running Lights
Beam angle:120°




MD-DRLLB-6X1W

LED Quantity:6 pcs,Power:6W
Votage:DC12V
Color:R,G,B,Y,W
Alication:Daytime Running Lights
Beam angle:120°




MD-DRLIS-6X1W

LED Quantity:6 pcs,Power:6W
Votage:DC12V
Color:R,G,B,Y,W
Alication:Daytime Running Lights
Beam angle:120°




MD-DRLIB-6X1W

LED Quantity:6 pcs,Power:6W
Votage:DC12V
Color:R,G,B,Y,W
Alication:Daytime Running Lights
Beam angle:120°




MD-DRLIS-9X1W

LED Quantity:9 pcs,Power:9W
Votage:DC12V
Color:R,G,B,Y,W
Alication:Daytime Running Lights
Beam angle:120°



MD-DRL06CB-8X1W/Y


LED Quantity:8 pcs,
Power:8W
Votage:DC12V-24V
Alication:Daytime Running Lights
Beam angle:120°






MD-DRL06CS-8X1W/Y

LED Quantity:8 pcs,
Power:8W
Votage:DC12V-24V
Alication:Daytime Running Lights
Beam angle:120°




MD-DRL05CS-6X1W

LED Quantity:6 pcs,
Power:6W
Votage:DC12V-24V
Alication:Daytime Running Lights
Beam angle:120°
Could be Double Colour W/Y




MD-DRL05CB-6X1W

LED Quantity:6 pcs,
Power:6W
Votage:DC12V-24V
Alication:Daytime Running Lights
Beam angle:120°
Could be Double Colour W/Y




MD-DRL04B-9W

LED Quantity:1 pcs,
Power:9W
Votage:DC12V-24V
Color:R,G,B,Y,W
Alication:Daytime Running Lights
Beam angle:120°












MD-DRL04S-9W

LED Quantity:1 pcs,
Power:9W
Votage:DC12V-24V
Color:R,G,B,Y,W
Alication:Daytime Running Lights
Beam angle:120°



Double Colour Lamp

Picture	Specification	Size
	<p>MD-2G-1157HW-4W/B(BAY15D) MD-2G-1157FW-4W/B(BA15D) LED Quantity:1 pcs, Power:4W Votage:DC12V-24V Alication:Brake Light Beam angle:340° Double Colour</p>	
	<p>MD-2G-T20DW-4W/B LED Quantity:1 pcs, (7443) Power:4W Votage:DC12V-24V Alication:Back-Up Light,Brake Light Beam angle:340° Double Colour</p>	
	<p>MD-4G-1157HW-4W/B(BAY15D) MD-4G-1157FW-4W/B(BA15D) LED Quantity:1 pcs, Power:4W Votage:DC12V-24V Alication:Brake Light Beam angle:340° Double Colour</p>	
	<p>MD-4G-T20DW-4W/B LED Quantity:1 pcs, (7443) Power:4W Votage:DC12V-24V Alication:Back-Up Light,Brake Light Beam angle:340° Double Colour</p>	
	<p>MD-4G-3157DW-4W/B LED Quantity:1 pcs, Power:4W Votage:DC12V-24V Alication:Back-Up Light,Brake Light Beam angle:340° Double Colour</p>	